## **Bonded Urethane Collection**Black Gold



(This product is available in Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	5.0 lbs/cft
Foam Coloration	Black
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	10 Psi
CLD @ 65%	5.6 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Product Thickness	3/8"
	13/32"

- · Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- · Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**Diamond

K

(This product is available in Mid-Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	6 lbs/cft
Foam Coloration	Charcoal
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6.2 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16" (Roll size 5' x 45' – 25 Sq Yds/Roll)
	7/16"
	1/2"
	3/4" (Roll size 6' x 30' – 20 Sq Yds/Roll)

- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- · CRI Green Label Plus meets low voc emission criteria







# **Bonded Urethane Collection**Diamond with Spilltrap



## **PRODUCT SPECIFICATIONS**

Density	6 lbs/cft
Foam Coloration	Charcoal
Backing	White Spilltrap
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6.2 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"

- Spilltrap Moisture Barrier
- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**Gold Rush



## **PRODUCT SPECIFICATIONS**

Density	5.3 lbs/cft
Foam Coloration	Gold
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	10 Psi
CLD @ 65%	5.6 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Product Thickness	3/8"
	7/16"
	1/2"

- · Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- · Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- · CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**

## **Great 8**

(This product is available in Mid-Western Region only)



## **PRODUCT SPECIFICATIONS**

Density	8.0 lbs/cft
Foam Coloration	Black
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	10 Psi
CLD @ 65%	4.0 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Code/Thickness	3/8"
	7/16"
	1/2"

- Provides more comfortable, luxurious feel underfoot
- · Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- · Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







# **Bonded Urethane Collection**Great 8 with Spilltrap<sup>®</sup> Moisture Barrier

FOAMEX INNOVATIONS

(This product is available in Mid-Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	8.0 lbs/cft
Foam Coloration	Black
Backing	White Spilltrap® Moisture Barrier Technology
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	10 Psi
CLD @ 65%	4.0 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"

- Spilltrap Moisture Barrier
- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**Jewel



## **PRODUCT SPECIFICATIONS**

Density	8.0 lbs/cft
Foam Coloration	Dark Blue
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	10 Psi
CLD @ 65%	8 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	1/4"
	3/8"
	7/16"
	1/2"
	9/16"

- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







# **Bonded Urethane Collection**Luxurybond



## **PRODUCT SPECIFICATIONS**

Density	6 lbs/cft
Foam Coloration	Red
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"
	9/16"

- · Provides more comfortable, luxurious feel underfoot
- · Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







# **Bonded Urethane Collection**Luxuryguard



## **PRODUCT SPECIFICATIONS**

Density	6 lbs/cft
Foam Coloration	Red
Backing	White Spilltrap® Moisture Barrier Technology
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	7/16"
	1/2"

- Spilltrap Moisture Barrier
- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**

## Masterbond

(This product is available in Mid-Western Region only)



## **PRODUCT SPECIFICATIONS**

Density	8 lbs/cft
Foam Coloration	Blue
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	8 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"

- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- · Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection** Masterguard



## **PRODUCT SPECIFICATIONS**

Density	8 lbs/cft
Foam Coloration	Blue
Backing	White Spilltrap® Moisture Barrier Technology
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	8 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	7/16"
	1/2"

- Spilltrap Moisture Barrier
- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**No Crush Special, Natural



(This product is available in Mid-Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	5.5 lbs/cft
Foam Coloration	Natural
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	5.6 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life Of Carpet
Product Thickness	5/16"
	15/32"
	3/8"
	1/2"
	7/16"
	9/16"
	13/32"
	7/8" (Roll size 6' x 30' – 20 Sq Yds/Roll)

- Easy to handle and install
- Acoustical properties help keep your home quiet
- Offers firmness and a luxury feel, resistance to vermin, moths and other insects, and ultra-resiliency for a long life all at affordable prices
- FHA Approved







## **Bonded Urethane Collection**ProBond



(This product is available in Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	6.0 lbs/cft*
Foam Coloration	Blue
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6.2 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"

<sup>\*</sup> Nominal Density +/- 0.5 lbs/cft

- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- · CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection**ProBond with Spilltrap



(This product is available in Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	6.0 lbs/cft*
Foam Coloration	Blue
Backing	Blue Spilltrap Moisture Barrier
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6.2 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"

<sup>\*</sup> Nominal Density +/- 0.5 lbs/cft

- Spilltrap Moisture Barrier
- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







# **Bonded Urethane Collection**Saxony



(This product is available in Mid-Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	5.0 lbs/cft*
Foam Coloration	Purple
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	10 Psi
CLD @ 65%	4.5 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Product Thickness	7/16"

- · Provides more comfortable, luxurious feel underfoot
- · Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







## **Bonded Urethane Collection** Super Six



(This product is available in Western Region only)

## **PRODUCT SPECIFICATIONS**

Density	6 lbs/cft
Foam Coloration	Blue
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 1 Moderate Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	6.2 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	3/8"
	7/16"
	1/2"
	9/16"
	5/8"

- Provides more comfortable, luxurious feel underfoot
- · Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







# **Bonded Urethane Collection**Supreme





## **PRODUCT SPECIFICATIONS**

Density	10 lbs/cft
Foam Coloration	Purple
Backing	Clear Film with Web
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	Minimum 10 Psi
Roll Size	6' X 30' – 20 Sq Yds/Roll
Antimicrobial Protection	Ultra-Fresh®
Warranty	Life of Carpet
Product Thickness	5/16"
	3/8"
	7/16"
	1/2"

- Features Ultra-Fresh® Antimicrobial Treatment, preventing mold, mildew and bacterial growth
- · Easy to handle and install
- Acoustical properties help keep your home quiet
- Offers firmness and a luxury feel, resistance to vermin, moths and other insects, and ultra-resiliency for a long life all at affordable prices
- FHA Approved







## **Bonded Urethane Collection**Ultrabond



## **PRODUCT SPECIFICATIONS**

7 lbs/cft
Purple
Clear Film with Web
Class 2 Heavy Traffic
Minimum 10 Psi
7.0 Psi
6' X 45' – 30 Sq Yds/Roll
Ultra-Fresh
Life of Carpet
1/4"
3/8"
7/16"
1/2"
9/16"

- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- · Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria







# Bonded Urethane Collection Ultrabond with Spilltrap



## **PRODUCT SPECIFICATIONS**

Density	7 lbs/cft
Foam Coloration	Purple
Backing	White Spilltrap
HUD/FHA (UM-72a)	Class 2 Heavy Traffic
Tensile	Minimum 10 Psi
CLD @ 65%	7.0 Psi
Roll Size	6' X 45' – 30 Sq Yds/Roll
Warranty	Life of Carpet
Product Thickness	7/16"
	1/2"

- Spilltrap Moisture Barrier
- Provides more comfortable, luxurious feel underfoot
- Extends the life of your new carpet
- Insulates the floor to reduce energy costs
- Reduces noise transmission for a quieter home
- Manufactured using recycled urethane and is 100% recyclable
- Satisfies LEED credit requirements
- FHA/HUD Approved
- CRI Green Label Plus meets low voc emission criteria





